

<WA1/>


2020

# (Modern) HTML

A fast-paced introduction to HTML5

Enrico Masala

Fulvio Corno



# Goal

- Quick introduction to the essential features of HTML
  - Document structure and syntax
  - Essential elements
  - Semantic elements
  - Page structuring
- Aligned to what HTML 5 looks like in year 2020

# Rough timeline of web technologies



## HTML

- CERN
- 1991

## HTML 2.0

- IETF
- 1995

W3C<sup>®</sup>

## HTML 3.2

- W3C
- 1997

W3C: World Wide  
Web Consortium

## HTML 4.01

- 1999

## XHTML 1.0

- W3C
- 2000
- XML-based;  
discontinued

## HTML5

- WHATWG
- and W3C
- 2014



WHATWG: Web Hypertext  
Application Technology  
Working Group



<https://html.spec.whatwg.org/multipage/>

<https://html.spec.whatwg.org/dev/>

# A different approach

HTML 4.01



web pages



design

HTML 5




web applications




user interaction

# HTML 5 is a family of standards



# Live standard: Browser Compatibility?

- <https://caniuse.com/>



# A basic HTML document

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Sample page</title>
  </head>
  <body>
    <h1>Sample page</h1>
    <p>This is a <a href="demo.html">simple</a> sample.</p>
    <!-- this is a comment -->
  </body>
</html>
```

- Unicode Text File
- DOCTYPE declaration
- Nested tree of Elements
  - Strict nesting
- Element:
  - Start tag: <a>
  - Attributes: href="demo.html"
    - Name=value pairs
  - End tag: </a>
  - Inner text: simple

# Mandatory structure


- First line: `<!DOCTYPE html>`
- `<html>` root element, contains the whole file
  - `<head>` (title, other metadata, load style sheets, load javascript code)
  - `<body>` (actual page content)

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Sample page</title>
  </head>
  <body>
    <h1>Sample page</h1>
    <p>This is a <a href="demo.html">simple</a> sample.</p>
    <!-- this is a comment -->
  </body>
</html>
```



# HTML parsing into a DOM tree


```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Sample page</title>
  </head>
  <body>
    <h1>Sample page</h1>
    <p>This is a <a href="demo.html">simple</a> sample.</p>
    <!-- this is a comment -->
  </body>
</html>
```



# HTML elements

- Elements are used to define the *meaning* of a portion of a document
  - Semantic markup
- The meaning will be rendered graphically, according to the style sheets
  - No HTML code should deal with presentation issues
- Each element has a default *display* value
  - display:block
    - Full-width
    - Starts on a new line
    - Top-to-bottom layout
  - display:inline
    - Does not start a new line
    - Occupies just the necessary space
    - Left-to-right layout

# Categories of HTML elements



- *Sectioning* content defines headings and footers
- *Heading content* defines the header of a section
- *Phrasing* content is the *text* of the document, as well as elements that mark up that text *at the intra-paragraph level*.
  - Runs of phrasing content form paragraphs.
- *Flow* content includes most types of elements

<https://html.spec.whatwg.org/dev/dom.html#kinds-of-content>

# Sections and Headings (block)

## Sectioning content

- article
- aside
- nav
- section

## Heading content

- h1
- h2
- h3
- h4
- h5
- h6
- hgroup

# Usage guide

Element	Usage
<code>&lt;article&gt;</code>	complete, or self-principle, independent
<code>&lt;section&gt;</code>	A generic section
<code>&lt;nav&gt;</code>	A section of a page
<code>&lt;aside&gt;</code>	A section of a page element, and which
<code>&lt;h1&gt;</code> - <code>&lt;h6&gt;</code>	A section heading
<code>&lt;hgroup&gt;</code>	The heading of a section
<code>&lt;header&gt;</code>	A group of introductory
<code>&lt;footer&gt;</code>	typically contains information about its section such as who wrote it, links to related documents, copyright data, and the like



The screenshot shows a web page layout. At the top is a pink header with the word "Header" in a stylized font. Below the header is a navigation bar with links for HOME, OUR TEAM, PROJECTS, and CONTACT. To the right of the navigation bar is a search bar with the text "Search query" and a "Go!" button. The main content area is white and contains an article with a heading "Article heading", a sub-section "subsection", and another sub-section "Another subsection". To the right of the main content area is a pink sidebar with the heading "Related" and a list of links. The footer is white and contains the text "©Copyright 2050 by nobody. All rights reversed."

# Grouping content (block)

Element	Usage
<code>&lt;p&gt;</code>	a paragraph of text
<code>&lt;hr&gt;</code>	horizontal rule (represents a paragraph-level thematic break)
<code>&lt;pre&gt;</code>	block of preformatted text
<code>&lt;blockquote&gt;</code>	a section that is quoted from another source
<code>&lt;ol&gt;</code>	a list of items, where the items have been intentionally ordered. The items of the list are <code>&lt;li&gt;</code> elements
<code>&lt;ul&gt;</code>	a list of items, where the order of the items is not important. The items of the list are <code>&lt;li&gt;</code> elements
<code>&lt;menu&gt;</code>	an unordered list <code>&lt;ul&gt;</code> , whose elements are commands that may be executed
<code>&lt;dl&gt;</code>	a list of definitions. Each definition has a name ( <code>&lt;dt&gt;</code> , definition term) and a value ( <code>&lt;dd&gt;</code> , definition description)
<code>&lt;figure&gt;</code>	a sectioning element that can be used to annotate illustrations, diagrams, photos, code listings, etc. May include <code>&lt;img&gt;</code> or other content. May include <code>&lt;figcaption&gt;</code>
<code>&lt;main&gt;</code>	represents the dominant contents of the document
<code>&lt;div&gt;</code>	the <code>&lt;div&gt;</code> element has no special meaning at all. It can be used with the <code>class</code> , and <code>title</code> attributes to mark up semantics common to a group of consecutive elements. Use as a last resort.

# Phrasing content (inline)

- **a**
- abbr
- audio
- **b**
- br
- button
- canvas
- cite
- code
- data
- datalist
- del
- dfn
- **em**
- embed
- **i**
- **img**
- input
- ins
- kbd
- label
- mark
- output
- picture
- progress
- q
- s
- samp
- select
- slot
- small
- **span**
- **strong**
- sub
- sup
- template
- textarea
- time
- var
- video
- wbr
- Insert content or format content inside a single paragraph
- Normally formatted left-to-right, and wrap at the end of line

<https://html.spec.whatwg.org/dev/text-level-semantic.html>

# Interactive content (inline)

- **a**
- audio
- **button**
- details
- embed
- iframe
- **input**
- label
- **select**
- **textarea**
- video
- Elements specifically intended for user interaction
- May be used to compose a form
- May include multimedia interactive content
- In the simplest form, they may just be a link
  - `<a href="URL">anchor</a>`



# Tabular data

- `<table>` container
- `<thead>` groups header rows, `<tbody>` groups data rows, `<tfoot>` groups summary rows
- `<tr>` table row, includes
  - `<td>` cell with table data
  - `<th>` cell with table heading
- May have a `<caption>`
- `<colgroup>` may apply common attributes to a set of `<col>` columns
- `rowspan` and `colspan` attributes for creating complex grids

Data about the planets of our solar system (Planetary facts taken from [Nasa's Planetary Fact Sheet - Metric](#).)

	Name	Mass (10 <sup>24</sup> kg)	Diameter (km)	Density (kg/m <sup>3</sup> )	Gravity (m/s <sup>2</sup> )	Length of day (hours)	Distance from Sun (10 <sup>6</sup> km)	Mean temperature (°C)	Number of moons	Notes	
Terrestrial planets	Mercury	0.330	4,879	5427	3.7	4222.6	57.9	167	0	Closest to the Sun	
	Venus	4.87	12,104	5243	8.9	2802.0	108.2	464	0		
	Earth	5.97	12,756	5514	9.8	24.0	149.6	15	1	Our world	
	Mars	0.642	6,792	3933	3.7	24.7	227.9	-65	2	The red planet	
Jovian planets	Gas giants	Jupiter	1898	142,984	1326	23.1	9.9	778.6	-110	67	The largest planet
		Saturn	568	120,536	687	9.0	10.7	1433.5	-140	62	
	Ice giants	Uranus	86.8	51,118	1271	8.7	17.2	2872.5	-195	27	
		Neptune	102	49,528	1638	11.0	16.1	4495.1	-200	14	
Dwarf planets	Pluto	0.0146	2,370	2095	0.7	153.3	5906.4	-225	5	Declassified as a planet in 2006, but this remains controversial.	

# Key attributes (on all elements)

## `class="aa bb cc"`

- Space-separated list of class identifiers
- Represents all the classes that this element belongs to
- Heavily used in CSS and JS for matching portion of contents

## `id="unique"`

- Represents an element's unique identifier
- Must be unique within this specific HTML document
- Heavily used in CSS and JS for finding/matching this specific element

# Key attributes (on all elements)

## `style="css fragment"`

- Apply a set of CSS declarations to this specific HTML element
- Use sparingly, prefer CSS rules that map to element `id` and `class`

# Wildcard elements


## `<div>...</div>`

- Block-level container element
- No predefined semantics
- Invisible layout
- Used to mark-up blocks or groups of blocks, with specific classes

## `<span>...</span>`

- Inline-level container element
- No predefined semantics
- Invisible layout
- Used to mark-up parts of a paragraph, with specific classes


# Opaque vs. Semantic elements



Note: the default rendering of `<section>`, `<article>`, etc is the same as `<div>`

Only CSS rules will apply the desired layout.


# Typical layout



```
1 <body>
2   <header>
3     <nav>
4
5     </nav>
6   </header>
7   <aside>
8
9   </aside>
10  <main>
11
12  </main>
13  <footer>
14
15  </footer>
16 </body>
```



By @riddle & @boblet  
www.html5doctor.com



\* Sectioning content element  
 These four elements (and their headings) are used by HTML5's outlining algorithm to make the document's outline  
 → [html5doctor.com/outline](http://html5doctor.com/outline)

2011-07-22 v1.5  
 For more information:  
[www.html5doctor.com/semantics](http://www.html5doctor.com/semantics)

# WHAT Beautiful HTML LOOKS LIKE

HTML5 and it's new elements make for the most beautiful HTML yet.

## DOCTYPE

HTML5 has the best DOCTYPE ever.

## TITLE

Title of the site is simple and clean. Purpose of page is first, a separator is used, and ends with title of the site.

## CSS

Only one single stylesheet is used (media types are declared inside stylesheet), and only served to good browsers. IE 6 is served a universal stylesheet. Below IE 6 gets nothing.

## BODY

ID applied to body to allow for unique page styling without any additional markup.

## DESCRIPTIVE BLOCKS

header, section, article, aside... all appropriately describe the content they contain better than the divs of old.

## HEIRARCHY

Title tags are reserved for real content, and follow a clear hierarchy.

## IMAGE ATTRIBUTES

Images include alternate text, mostly for visually impaired users but also for validation. Height and width applied for rendering efficiency.

## APPROPRIATE TAGS

Lists are marked up as lists, depending on the needs of the list: unordered, ordered, and the underused definition list.

## SEMANTIC CLASSES

Beyond appropriate element names, classes and IDs are semantic: they describe without specifying. (e.g. "col" is much better than "left")

## CLASSES

Are used any time similar styling needs to be applied to multiple elements (reusability).

## IDS

Are used any time an element appears only once on the page and cannot be targeted reasonably any other way.

## JAVASCRIPT

jQuery (the most beautiful JavaScript library) is served from Google. Only a single JavaScript file is loaded. Both scripts are referenced at the bottom of the page.

```
<!DOCTYPE HTML>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
<title>Portfolio | Chris Coyier</title>
<!-- [if IE] -->
<link rel="stylesheet" type="text/css" href="/css/main.css" />
<!-- [endif] -->
<!-- [if gte IE 7] -->
<link rel="stylesheet" type="text/css" href="/css/main.css" media="screen, projection" />
<!-- [endif] -->
<!-- [if IE 6] -->
<link rel="stylesheet" type="text/css" href="http://universal-ie6-css.googlecode.com/files/ie6.0.3.css" media="screen, projection" />
<!-- [endif] -->
</head>
<body id="home">
<div class="container">
<div id="logo" href="#">Site Title</div>
<div id="slogan">web craftsman, blogger, author, speaker</div>
<nav>
<?php include("inc/main-menu.php"); ?>
</nav>
</div>
<section class="container">
<article>
<h1>Hipsters</h1>

<p>You can&#8217;t dress up as a hipster for Halloween. Their attire is already so bizarre that there isn&#8217;t an exaggeration of it that looks like a costume. It would just look like you are another hipster about to read a poem about reading poems.</p>
<h2>Secondary Title</h2>
<p>Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.</p>
</article>
<!-- Additional Article -->
</article>
</section>
<aside>
<h3>My Major Projects</h3>
<ul>
<li><a href="http://aremysitesup.com">Are My Sites Up?</a></li>
<li>Monitor your sites</li>
<li><a href="http://css-tricks.com">CSS-Tricks</a></li>
<li>A web design community</li>
<li><a href="http://dgmw.com">Digging Into WordPress</a></li>
<li>Learn about WordPress</li>
</ul>
</aside>
<div class="container">
<h4>People I Enjoy</h4>
<ul class="col">
<li><a href="http://fastfoodreviewed.com">Jesse Lynch</a></li>
<li><a href="http://jeffcampara.com">Jeff Campara</a></li>
<li><a href="http://perishablepress.com">Jeff Starr</a></li>
</ul>
<ul class="col">
<li><a href="http://davidwalsh.name">David Walsh</a></li>
<li><a href="http://thestrategicretreat.com">Jeff Penman</a></li>
<li><a href="http://http://shiftdfrequency.com">Richard Felix Jr.</a></li>
</ul>
<h4>Sandwiches</h4>
<ul class="col container" id="sandwich-list">
<li><a href="http://jimmyjohns.com">Jimmy Johns</a></li>
<li><a href="http://subway.com">Subway</a></li>
<li><a href="http://potbelly.com">Potbelly</a></li>
</ul>
<?php echo date("Y"); ?> Chris Coyier
</div>
<script type="text/javascript" src="http://ajax.googleapis.com/ajax/libs/jquery/1.3.2/jquery.min.js?ver=1.3.2"></script>
<script type="text/javascript" src="/js/main.js"></script>
<!-- Google Analytics Code -->
<?php include_once("inc/analytics.php"); ?>
</body>
</html>
```

## INDENTATION

Tabs or spaces are used to indent the code to properly indicate parent-child relationship of tags.

## FILE PATHS

Site resources use relative file paths for efficiency. Content file paths are absolute, assuming content is syndicated.

## INCLUDES

Things common across multiple pages are inserted via server side includes. Doesn't have to be PHP of course, any type of include is fine.

## CHARACTERS ENCODED

If it's a special character, it's encoded.

## DYNAMIC

Things that need to be dynamic, are dynamic.

## COMMENTS

Comments are included for things that may not be immediately obvious upon reviewing the code.

## FREE FROM STYLING

Nothing on the page applies styling or even implies what the styling might be. Everything on the page is either a required site resource, content, or describing

## VALID

The markup adheres to W3C validation. Tags are closed, required attributes used, etc.



<https://css-tricks.com/what-beautiful-html-code-looks-like/>



# References

- HTML: The Living Standard, Developer's Edition — Last Updated 20 March 2020 - <https://html.spec.whatwg.org/dev/>
- MDN: HTML: Hypertext Markup Language - <https://developer.mozilla.org/en-US/docs/Web/HTML>
- A Modern HTML Introductory Tutorial - <http://fastwebstart.com/modern-html-tutorial/> (and linked resources)
- <https://css-tricks.com/what-beautiful-html-code-looks-like/>



# License

- These slides are distributed under a Creative Commons license “**Attribution-NonCommercial-ShareAlike 4.0 International (CC BY-NC-SA 4.0)**”
- **You are free to:**
  - **Share** — copy and redistribute the material in any medium or format
  - **Adapt** — remix, transform, and build upon the material
  - The licensor cannot revoke these freedoms as long as you follow the license terms.
- **Under the following terms:**
  - **Attribution** — You must give [appropriate credit](#), provide a link to the license, and [indicate if changes were made](#). You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.
  - **NonCommercial** — You may not use the material for [commercial purposes](#).
  - **ShareAlike** — If you remix, transform, or build upon the material, you must distribute your contributions under the [same license](#) as the original.
  - **No additional restrictions** — You may not apply legal terms or [technological measures](#) that legally restrict others from doing anything the license permits.
- <https://creativecommons.org/licenses/by-nc-sa/4.0/>

